## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A method of treatment of a tumour which comprises administering to a subject in need of treatment an effective amount of an inhibitor of PRAME, in combination with a second agent selected from the group of an inhibitor of HDAC (an HDACi) and a retinoid.
- 2. (Original) The method of claim 1, wherein the inhibitor of PRAME is an siRNA or vector encoding said siRNA.
- 3. (Currently Amended) The method of claim 1-or 2 wherein said HDACi is N-hydroxy-3-(3-phenylsulfamoyl-phenyl)-acrylamide.
- 4. (Currently Amended) The method of claim 1, 2 or 3 wherein said tumour is a melanoma.
- 5. (Original) An inhibitor of PRAME and a second agent selected from the group of an inhibitor of HDAC (an HDACi) and a retinoid, as a combined preparation for simultaneous, separate or sequential use in therapy.
- 6. (Original) An inhibitor and second agent for use according to claim 5 wherein said therapy is treatment of a melanoma.

BÉRNARDS ET AL. Appl. No. Unknown July 24, 2006

- 7. (Currently Amended) An inhibitor and second agent for use according to claim 5 or 6 wherein said inhibitor of PRAME is an siRNA or vector encoding said siRNA.
- 8. (Currently Amended) An inhibitor and second agent for use according to claim 5, 6 or 7 wherein said HDACi is N-hydroxy-3-(3-phenylsulfamoyl-phenyl)-acrylamide.
- 9. (Original) Use of an inhibitor of PRAME in combination with an HDACi or a retinoid for the manufacture of a medicament as a combined preparation for simultaneous, separate or sequential use in the treatment of a tumour.
- 10. (Original) Use of an HDACi or a retinoid, for treating a tumour in a subject, wherein the subject has received treatment so as to suppress the level of PRAME in the tumour at the time of HDACi or retinoid administration.
- 11. (Currently Amended) Use according to claim 9-or-claim 10 wherein said tumour is a melanoma.
- 12. (Original) An assay for an inhibitor of an interaction between PRAME and a retinoic acid receptor (RAR) which comprises bringing together:
  - (i) a candidate inhibitor; and
  - (ii) a PRAME protein and a RAR protein; and

BERNARDS ET AL. Appl. No. Unknown July 24, 2006

determining if the putative inhibitor is capable of preventing an interaction between said PRAME and RAR proteins.